


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1. (Original): A compound of formula I



wherein

X is O, NH, N(C₁₋₄)alkyl, CO or CHOH,

Y is CH or N,

A and B are each hydrogen or together form a second bond between the carbon atoms to which they are attached,

R₁ is hydrogen or (C₁₋₄)alkyl,

R₂ is optionally substituted (C₁₋₈)alkyl, (C₃₋₇)cycloalkyl, (C₃₋₇)cycloalkyl(C₁₋₄)alkyl, aryl or heteroaryl,

R₃ is CH(R_e)CONR_aR_b or (CH₂)_nNR_cR_d,

n is 0, 1 or 2,

R_a, R_b, R_c and R_d, independently, are hydrogen or optionally substituted (C₁₋₈)alkyl, (C₃₋₇)cycloalkyl, (C₃₋₇)cycloalkyl(C₁₋₄)alkyl, (C₇₋₉)bicycloalkyl, 1-aza-(C₇₋₉)bicycloalkyl, aryl, aryl(C₁₋₄)alkyl, heteroaryl, heteroaryl(C₁₋₄)alkyl or heterocyclyl, or

R_a, R_b, R_c and R_d, together with the nitrogen to which they are attached, form an optionally substituted pyrrolidinyl, piperidino, morpholino or piperazinyl group,

R_e is (C₁₋₈)alkyl, (C₁₋₄)alkoxy(C₁₋₄)alkyl, (C₃₋₇)cycloalkyl or (C₃₋₇)cycloalkyl(C₁₋₄)alkyl, and

R₄, R₅, R₆, R₇, R₈ and R₉, independently, are hydrogen, (C₁₋₄)alkyl, (C₁₋₄)alkoxy, (C₁₋₄)alkyl-SO₂, cyano, nitro or halogen, in free base or acid addition salt form.

Claim 2. (Original): A compound of formula I according to claim 1 wherein

X is O, NH, N(C₁₋₄)alkyl, CO or CHOH,

Y is CH or N,

A and B are each hydrogen or together form a second bond between the carbon atoms to which they are attached,

R_1 is hydrogen or (C_{1-4}) alkyl,
 R_2 is optionally substituted (C_{1-8}) alkyl, (C_{3-7}) cycloalkyl, (C_{3-7}) cycloalkyl (C_{1-4}) alkyl, aryl or heteroaryl,
 R_3 is $CH(R_e)CONR_aR_b$ or $(CH_2)_nNR_cR_d$,
 n is 0, 1 or 2,
 R_a , R_b , R_c and R_d , independently, are hydrogen or optionally substituted (C_{1-8}) alkyl, (C_{3-7}) cycloalkyl, (C_{3-7}) cycloalkyl (C_{1-4}) alkyl, aryl, aryl (C_{1-4}) alkyl, heteroaryl or heteroaryl (C_{1-4}) alkyl or
 R_a , R_b , R_c and R_d , together with the nitrogen to which they are attached, form an optionally substituted pyrrolidiny, piperidino, morpholino or piperaziny group,
 R_e is (C_{1-8}) alkyl, (C_{1-4}) alkoxy (C_{1-4}) alkyl, (C_{3-7}) cycloalkyl or (C_{3-7}) cycloalkyl (C_{1-4}) alkyl, and
 R_4 , R_5 , R_6 , R_7 , R_8 and R_9 , independently, are hydrogen, (C_{1-4}) alkyl, (C_{1-4}) alkoxy, (C_{1-4}) alkyl-SO₂, cyano, nitro or halogen, in free base or acid addition salt form.


Claim 3. (Original): A compound of formula I according to claim 1 wherein

X is O, NH or CO,
 Y is CH or N,
 A and B are each hydrogen or together form a second bond between the carbon atoms to which they are attached,
 R_1 is hydrogen,
 R_2 is (C_{1-4}) alkyl, or phenyl, which is unsubstituted or substituted by hydroxy, amino or halogen,
 R_3 is $CH(R_e)CONR_aR_b$ or $(CH_2)_nNR_cR_d$,
 n is 0 or 1,
 R_a and R_b , independently, are hydrogen, (C_{1-7}) alkyl, (C_{1-4}) alkoxy (C_{1-4}) alkyl, benzyl, phenyl, (C_{3-5}) cycloalkyl (C_{1-4}) alkyl, pyridyl, pyridyl (C_{1-4}) alkyl, (C_{1-4}) alkyl piperidiny, tetrahydropyrany, (C_{7-8}) bicycloalkyl, 1-aza- (C_{7-9}) bicycloalkyl; (C_{5-6}) cycloalkyl substituted by hydroxy; or pyrazolyl or isoxazolyl being unsubstituted or substituted by (C_{1-4}) alkyl;
 R_c and R_d , independently, are hydrogen, tetrahydronaphthyl, (C_{1-4}) alkoxy tetrahydronaphthyl, (C_{3-5}) cycloalkyl being unsubstituted or substituted by halophenyl; chromanyl being substituted by halogen, (C_{1-4}) alkyl or (C_{3-7}) cycloalkyl; or (C_{1-4}) alkyl being unsubstituted or mono or disubstituted by (C_{5-7}) cycloalkyl, phenyl, (C_{1-4}) alkoxy phenyl, di (C_{1-4}) alkoxy phenyl, halophenyl, phenoxy phenyl, (C_{1-4}) alkyl phenyl, hydroxy (C_{1-4}) alkyl phenyl, (C_{1-4}) alkoxy (C_{1-4}) alkoxy phenyl, naphthyl, pyridyl, thiadiazolyl, benzimidazolyl or furyl;
 R_e is (C_{1-8}) alkyl, and
 R_4 , R_5 , R_6 , R_7 , R_8 and R_9 , independently, are hydrogen or halogen, in free base or acid addition salt form.

Claim 4. (Original): A process for the preparation of a compound of formula I as defined in claim 1, or a salt thereof, which includes the steps of acylating a compound of formula II



wherein R₁, R₂ and R₃ are as defined in claim 1, with an acid of formula III



wherein X, Y, A, B, R₄, R₅, R₆, R₇, R₈ and R₉ are as defined in claim 1, or an activated form thereof, and recovering the so obtained compound of formula I in free base or acid addition salt form.

Claim 5. (Currently amended): A compound of ~~any one of claims 1 to 3~~ in free base or pharmaceutically acceptable acid addition salt form, for use as a pharmaceutical.

Claim 6. (Currently amended): A compound of ~~any one of claims 1 to 3~~ in free base or pharmaceutically acceptable acid addition salt form, for use in the treatment of neurological and vascular disorders related to beta-amyloid generation and/or aggregation.

Claim 7. (Currently amended): A pharmaceutical composition comprising a compound of ~~any one of claims 1 to 3~~ in free base or pharmaceutically acceptable acid addition salt form, in association with a pharmaceutical carrier or diluent.

Claims 8-9. (Canceled)

Claim 10. (Currently amended): A method for the treatment of neurological and vascular disorders related to beta-amyloid generation and/or aggregation in a subject in need of such treatment, which comprises administering to such subject a therapeutically effective amount of a compound of ~~any one of claims 1 to 3~~ in free base or pharmaceutically acceptable acid addition salt form.

Claim 11. (Currently amended): A combination comprising a therapeutically effective amount of a compound of ~~any one of claims 1 to 3~~ in free base or pharmaceutically acceptable acid addition salt form and a second drug substance, for simultaneous or sequential administration.